# **Complete Summary**

#### **TITLE**

Acute myocardial infarction: median time from emergency department (ED) arrival to administration of fibrinolytic therapy in ED patients with ST-segment elevation or left bundle branch block (LBBB) on the electrocardiogram (ECG) performed closest to ED arrival and prior to transfer.

## SOURCE(S)

Centers for Medicare & Medicaid Services (CMS). Specifications manual for hospital outpatient department quality measures (v 2.1a). Baltimore (MD): Centers for Medicare & Medicaid Services (CMS); 2009. 245 p.

#### **Measure Domain**

#### PRIMARY MEASURE DOMAIN

**Process** 

The validity of measures depends on how they are built. By examining the key building blocks of a measure, you can assess its validity for your purpose. For more information, visit the Measure Validity page.

#### **SECONDARY MEASURE DOMAIN**

Does not apply to this measure

## **Brief Abstract**

#### **DESCRIPTION**

This measure is used to assess the time (in minutes) from emergency department (ED) arrival to administration of fibrinolytic therapy in ED patients with ST-segment elevation or left bundle branch block (LBBB) on the electrocardiogram (ECG) performed closest to ED arrival and prior to transfer.

#### **RATIONALE**

Time to fibrinolytic therapy is a strong predictor of outcome in patients with an acute myocardial infarction (AMI). Nearly 2 lives per 1,000 patients are lost per hour of delay. National guidelines recommend that fibrinolytic therapy be given within 30 minutes of hospital arrival in patients with ST-segment elevation

myocardial infarction. Despite these recommendations, few eligible older patients hospitalized with AMI receive timely fibrinolytic therapy.

#### PRIMARY CLINICAL COMPONENT

Acute myocardial infarction (AMI); ST-segment elevation; left bundle branch block (LBBB); fibrinolytic therapy

## **DENOMINATOR DESCRIPTION**

Patients 18 years and older with an emergency department (ED) encounter who were discharged/transferred to a short-term general hospital for inpatient care or to a Federal healthcare facility with a diagnosis of acute myocardial infarction (AMI) and ST-segment elevation or left bundle branch block (LBBB) on electrocardiogram (ECG) performed closest to ED arrival (see the related "Denominator Inclusions/Exclusions" field in the Complete Summary)

#### **NUMERATOR DESCRIPTION**

Continuous variable statement: Time (in minutes) from emergency department (ED) arrival to administration of fibrinolytic therapy in acute myocardial infarction (AMI) patients with ST-segment elevation or left bundle branch block (LBBB) on electrocardiogram (ECG) performed closest to ED arrival and prior to transfer

## **Evidence Supporting the Measure**

## **EVIDENCE SUPPORTING THE CRITERION OF QUALITY**

- A clinical practice guideline or other peer-reviewed synthesis of the clinical evidence
- One or more research studies published in a National Library of Medicine (NLM) indexed, peer-reviewed journal

#### NATIONAL GUIDELINE CLEARINGHOUSE LINK

(1) ACC/AHA guidelines for the management of patients with ST-elevation myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to revise the 1999 guidelines for the Management of Acute Myocardial Infarction). (2) 2007 focused update of the ACC/AHA 2004 guidelines for the management of patients with ST-elevation myocardial infarction. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines.

## **Evidence Supporting Need for the Measure**

#### **NEED FOR THE MEASURE**

Overall poor quality for the performance measured Use of this measure to improve performance

#### **EVIDENCE SUPPORTING NEED FOR THE MEASURE**

Jencks SF, Cuerdon T, Burwen DR, Fleming B, Houck PM, Kussmaul AE, Nilasena DS, Ordin DL, Arday DR. Quality of medical care delivered to Medicare beneficiaries: A profile at state and national levels. JAMA2000 Oct 4;284(13):1670-6. PubMed

## **State of Use of the Measure**

#### **STATE OF USE**

Current routine use

#### **CURRENT USE**

External oversight/Medicare Internal quality improvement

## **Application of Measure in its Current Use**

#### **CARE SETTING**

Hospitals

#### PROFESSIONALS RESPONSIBLE FOR HEALTH CARE

Measure is not provider specific

## LOWEST LEVEL OF HEALTH CARE DELIVERY ADDRESSED

Single Health Care Delivery Organizations

#### **TARGET POPULATION AGE**

Age greater than or equal to 18 years

## **TARGET POPULATION GENDER**

Either male or female

## STRATIFICATION BY VULNERABLE POPULATIONS

Unspecified

## **Characteristics of the Primary Clinical Component**

## INCIDENCE/PREVALENCE

Unspecified

## **ASSOCIATION WITH VULNERABLE POPULATIONS**

See the "Rationale" field.

#### **BURDEN OF ILLNESS**

See the "Rationale" field.

#### **UTILIZATION**

Unspecified

#### **COSTS**

Unspecified

**Institute of Medicine National Healthcare Quality Report Categories** 

#### **IOM CARE NEED**

**Getting Better** 

#### **IOM DOMAIN**

Effectiveness Timeliness

# **Data Collection for the Measure**

#### **CASE FINDING**

Users of care only

## **DESCRIPTION OF CASE FINDING**

Patients 18 years and older with an emergency department (ED) encounter who were discharged/transferred to a short-term general hospital for inpatient care or to a Federal healthcare facility with a diagnosis of acute myocardial infarction (AMI) and ST-segment elevation or left bundle branch block (LBBB) on electrocardiogram (ECG) performed closest to ED arrival (see the "Denominator Inclusions/Exclusions" field)

#### **DENOMINATOR SAMPLING FRAME**

Patients associated with provider

## **DENOMINATOR INCLUSIONS/EXCLUSIONS**

#### **Inclusions**

- An E/M Code for emergency department (ED) encounter as defined in Appendix A, OP Table 1.0\*
- Patients discharged/transferred to a short-term general hospital for inpatient care or to a Federal healthcare facility
- An International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) Principal Diagnosis Code for acute myocardial infarction (AMI) as defined in Appendix A, OP Table 1.1\*
- ST-segment elevation or left bundle branch block (LBBB) on the electrocardiogram (ECG) performed closest to ED arrival
- Fibrinolytic Administration as defined in the Data Dictionary\*

#### **Exclusions**

- Patients less than 18 years of age
- Patients who did not receive Fibrinolytic Administration within 30 minutes and had a Reason for Delay in Fibrinolytic Therapy as defined in the Data Dictionary\*

#### RELATIONSHIP OF DENOMINATOR TO NUMERATOR

All cases in the denominator are equally eligible to appear in the numerator

## **DENOMINATOR (INDEX) EVENT**

Clinical Condition
Diagnostic Evaluation
Encounter
Institutionalization
Therapeutic Intervention

## **DENOMINATOR TIME WINDOW**

Time window follows index event

#### **NUMERATOR INCLUSIONS/EXCLUSIONS**

## Inclusions

Continuous variable statement: Time (in minutes) from emergency department (ED) arrival to administration of fibrinolytic therapy in acute myocardial infarction (AMI) patients with ST-segment elevation or left bundle branch block (LBBB) on electrocardiogram (ECG) performed closest to ED arrival and prior to transfer

#### **Exclusions**

None

# MEASURE RESULTS UNDER CONTROL OF HEALTH CARE PROFESSIONALS, ORGANIZATIONS AND/OR POLICYMAKERS

<sup>\*</sup>Refer to the original measure documentation for details.

The measure results are somewhat or substantially under the control of the health care professionals, organizations and/or policymakers to whom the measure applies.

## **NUMERATOR TIME WINDOW**

Fixed time period

## **DATA SOURCE**

Administrative data Medical record

## LEVEL OF DETERMINATION OF QUALITY

Not Individual Case

## **PRE-EXISTING INSTRUMENT USED**

Unspecified

# **Computation of the Measure**

## **SCORING**

Continuous Variable

#### **INTERPRETATION OF SCORE**

Better quality is associated with a lower score

#### **ALLOWANCE FOR PATIENT FACTORS**

Unspecified

#### STANDARD OF COMPARISON

External comparison at a point in time External comparison of time trends Internal time comparison

## **Evaluation of Measure Properties**

## **EXTENT OF MEASURE TESTING**

Unspecified

## **Identifying Information**

## **ORIGINAL TITLE**

OP-1: hospital outpatient acute myocardial infarction: median time to fibrinolysis.

#### **MEASURE COLLECTION**

**Hospital Outpatient Department Quality Measures** 

## **MEASURE SET NAME**

<u>Hospital Outpatient Acute Myocardial Infarction</u>

#### **DEVELOPER**

Centers for Medicare & Medicaid Services

## **FUNDING SOURCE(S)**

United States Department of Health and Human Services

## **COMPOSITION OF THE GROUP THAT DEVELOPED THE MEASURE**

Centers for Medicare & Medicaid (CMS) Contractor

## FINANCIAL DISCLOSURES/OTHER POTENTIAL CONFLICTS OF INTEREST

None

## **ENDORSER**

National Quality Forum

#### **ADAPTATION**

Measure was not adapted from another source.

#### **RELEASE DATE**

2008 Apr

## **REVISION DATE**

2009 Jan

#### **MEASURE STATUS**

This is the current release of the measure.

## SOURCE(S)

Centers for Medicare & Medicaid Services (CMS). Specifications manual for hospital outpatient department quality measures (v 2.1a). Baltimore (MD): Centers for Medicare & Medicaid Services (CMS); 2009. 245 p.

#### **MEASURE AVAILABILITY**

The individual measure, "OP-1: Hospital Outpatient Acute Myocardial Infarction: Median Time to Fibrinolysis," is published in the "Specifications Manual for Hospital Outpatient Department Quality Measures (Version 2.1a)." This document is available from the <a href="QualityNet Web site">QualityNet Web site</a>. Check the QualityNet Web site regularly for the most recent version of the specifications manual and for the applicable dates of discharge.

## **NQMC STATUS**

This NQMC summary was completed by ECRI Institute on February 20, 2009. The information was verified by the measure developer on May 8, 2009.

#### **COPYRIGHT STATEMENT**

No copyright restrictions apply.

The Specifications Manual for Hospital Outpatient Department Quality Measures (Version 2.1a, January 2009) is periodically updated by the Centers for Medicare & Medicaid Services. Users of the Specifications Manual for Hospital Outpatient Department Quality Measures must update their software and associated documentation based on the published manual production timelines.

#### Disclaimer

## **NQMC DISCLAIMER**

The National Quality Measures Clearinghouse™ (NQMC) does not develop, produce, approve, or endorse the measures represented on this site.

All measures summarized by NQMC and hosted on our site are produced under the auspices of medical specialty societies, relevant professional associations, public and private organizations, other government agencies, health care organizations or plans, individuals, and similar entities.

Measures represented on the NQMC Web site are submitted by measure developers, and are screened solely to determine that they meet the NQMC Inclusion Criteria which may be found at

http://www.qualitymeasures.ahrq.gov/about/inclusion.aspx.

NQMC, AHRQ, and its contractor ECRI Institute make no warranties concerning the content or its reliability and/or validity of the quality measures and related

materials represented on this site. The inclusion or hosting of measures in NQMC may not be used for advertising or commercial endorsement purposes.

Readers with questions regarding measure content are directed to contact the measure developer.

# Copyright/Permission Requests

Date Modified: 6/1/2009

